Summary of Lay Rescuer CPR for Adults, Children and Infants American Heart Association 2015 Guidelines

Step/Action	Adult: Puberty &	Child: 1yrs to	Infant: 0-1yrs		
	older	Puberty			
Make sure the scene is safe for you to help					
Responsiveness	Shake and shout at victim "Are you OK" / Check for normal				
	breathing				
Activate 911	If alone, you call.	If alone, do 5 cycles (2 minutes) of 30			
	If others there, have	compressions and 2 breaths before you go			
	them call 911	call 911.			
	immediately.	If others there, have them call 911			
	Activate company	immediately.			
	emergency response				
	team FIRST then				
	911!				
Position	If victim is unresponsive and not breathing, position victim on their				
	back on a firm flat surface.				
CLEAR THE CHEST AND BEGIN CHEST COMPRESSIONS					
Compression	In the center of the chest, on the lower half of		Just below the nipple		
landmarks	the breast bone		line		
Compression method:	2 hands: Heel of 1	2 hands: Heel of 1	2 fingers just below		
Push hard and fast	hand on the lower	hand the lower half	the nipple line		
Allow complete recoil	half of the breast	of the breast bone,			
	bone with the second	second hand on top			
	hand on top	1 Hand: Heel of 1			
		hand only			
Compression Depth	At least 2 inches	About 2 inches	11/2 inches		
Compression Rate	100-120 per minute				
Compression-	30 compressions to 2 breaths				
ventilation ratio	5 sets every 2 minutes- if someone else there have them help with				
	compressions.				
Defibrillation	Γ	Γ	I		
AED	Use adult pad. Do not	Use child	Use child		
	use child pads/child	pads/system for child	pads/system for child		
	system	1 to 8 years if	1 to 8 years if		
		available. If not, use	available. If not, use		
		adult AED and pads	adult AED and pads		

Foreign-body Airway Obstruction or Choking Management				
Foreign-body airway	Abdominal Thrusts	Abdominal Thrusts	Back slaps and chest	
obstruction (choking)	Or	Or	thrusts	
- Conscious	Chest Thrust	Chest Thrust		